

FACT SHEET



THE EXPLORER RANGE 01/2024 Tentickle Stretch Tents have developed an ingenious tenting solution that is designed specifically towards the upper luxury camping market.

What sets the Explorer Range apart is the unique flexible membrane attaching the canvas cabin to the stretch tent roof, creating spectacular ceiling heights of 4 to 5 metres. Lots of open space, no roofing framework required.

The clever design exposes the Tentflex stretch tent canopy with its organic flow and luxurious look and feel — no further draping needed. Spacious interiors, large panoramic windows and the slick stretch tent ceiling offer an excellent canvas for the most sophisticated lighting and interior concepts.

For maximum performance and durability, we recommend buying your Explorer tent with its fitted engineered shade roof.



The Explorer Range

INTRO











Desert Fox


FRONT VIEW





FLOORPLAN

- 96 m² indoor living space
- 179 m² Tentickle Tentflex canopy



INFO

THE STRETCH TENT ROOF: 770gr Tentickle Tentflex, fire-retardant, waterproof, UV repellent, anti-microbial, highly tensile, Teflon-coated polyester stretch. The outside has a smooth, matt finish with a water-repellent lotus effect. The inside of the fabric has a natural flow and a soft, organic feel, not requiring any further draping. The fabric reflects light very effectively and offers a great canvas for spectacular lighting concepts.

THE CABIN: 500gr ripstop canvas, flame retardant, anti-fungal, combined with high tensile rubber coated mesh and optional non-milking clear PVC. Available in light grey, chino, ivory and taupe.

THE ENGINEERED SHADE ROOF: For extremely hot and sunny countries Tentickle have developed a double roofing system by adding 90% shade cloth about 50cm above the Tentflex roof. Made from high density and high tensile PE sewn with PTFE Tenara Thread, this keeps the tent cool during the day, breaks the wind and extends the lifetime of the tent. The shade cloth is re-enforced with a central panel of Tentflex fabric to ensure durability and to get that stylish stretch tent flow.



STRETCH TENT & SHADE ROOF	STAND	ar Opiona
Tentflex FR stretch tent roof	•	-
Engineered 90% block out shade roof	-	•
Poly braid rope	•	-
6 mm rubber coated steel cable	•	-
M10 stainless steel bow shackles	•	-
80 cm rebar steel ground pegs	•	-
100 cm rebar steel ground pegs	-	•
Rapid foot concrete free earth anchor	-	•
89 mm aluminium interior poles	•	-
76 mm aluminium exterior poles (up to 3 m)	•	-
Treated and varnished blue gum exterior wooden poles	•	-

Exterior poles: client's choice between wood or aluminium

Furnishings and fittings not included. All renderings are an artistic impression.

CANVAS CABIN 500g ripstop canvas panel cabin & ripstop canvas roof Removable roll up canvas zip door Folding aluminium panoramic doors Roll up canvas zip windows Wood burning stove back board and flue port panel Roll up PVC windows Removable roll up PVC door Mosquito mesh windows Insulated bedroom head board wall Steel cabin frame